



**CM55 & CM56**



**CM55 & CM56**

ITALIANO

|  |  |
|--|--|
| <b>TIPOLOGIA</b>                           | PASTIGLIA SINTERIZZATA STRADALE  |
| <b>NOME</b>                                | <b>CM55 &amp; CM56</b>   |
| <b>DESCRIZIONE</b>                         | Pastiglia sinterizzata per utilizzo in più condizioni. Offre una prestazione di frenata costante e una ridotta usura. Mescola apprezzatissima. <b><u>No uso racing.</u></b>  |
| <b>CODICE</b>                              | XXXCM55 pastiglia anteriore - XXXCM56 pastiglia posteriore   |
| <b>CARATTERISTICHE TECNICHE E BENEFICI</b> | Prestazione e durata buona per molteplici condizioni di utilizzo.  |
| <b>UTILIZZO</b>                            | STRADALE   |
| <b>PESO</b>                                | TBD  |
| <b>ACCESSORI</b>                           | Combinazione perfetta con dischi SK2 & R-STX   |
| <b>AVVERTENZE</b>                          | I freni sono i componenti di sicurezza più critici della Motocicletta/ATV . Non provare ad effettuare manutenzione o sostituzioni se non siete dei <b>MECCANICI QUALIFICATI</b> e attenetevi sempre alle istruzioni di montaggio del produttore. |



## CM55 & CM56

|   |  |
|---|--|
| <b>TYPE</b>   | ONROAD SINTERED PAD  |
| <b>SERIES</b>   | <b>CM55 &amp; CM56</b>   |
| <b>DESCRIPTION</b>  | Sintered metal brake pad for large range of conditions. It provides a stable brake performance and low wear rate. Top seller compound.<br><b><u>Do not use for racing.</u></b>                         |
| <b>PART NUMBER</b>  | XXXCM55 front pad - XXXCM56 rear pad   |
| <b>TECHNICAL FEATURES AND BENEFITS</b>  | Good performance in multiple conditions.   |
| <b>USE</b>  | ONROAD   |
| <b>WEIGHT</b>   | TBD  |
| <b>ACCESSORIES</b>  | Best combination with SK2 and R-STX disk   |
| <b>WARNING</b><br> | Brakes are a MAJOR SAFETY CRITICAL PART of Motorcycle/ATV.<br>DO NOT ATTEMPT Service or replacement unless you are a QUALIFIED MECHANIC and always follow machine manufactures installation procedure. |